



TIBET EVO LL

NO CHALLENGE IS TOO GREAT.



1 Proven Vibram rubber sole from a high-quality provider from Italy.



2 The forefoot and upper area can be laced in varying degrees of tightness.



3 Special fastening hooks divide the lacing system into two zones so they can be independently locked in place.



4 Holds the tongue in place with the help of the laces and prevents slippage in the process.



5 Increased flexibility of the upper for pleasant walking.



6 Special tongue construction with asymmetric padding for even pressure distribution.

Who hasn't dreamed of completing a trek with dry feet and finally reaching the summit? Make the dream come true - with TIBET EVO LL. Be it via ferrata, multi-day expeditions in the Alps or tough terrain, the VIBRAM APPTRAIL DIVO rubber sole makes the challenge of tackling a wide variety of surfaces a real pleasure. The wrap-around rubber rand also keeps stones and dirt at bay, so you can concentrate fully on the adventure.

COLOURS



Sepia/slate
211426 4596

WEIGHT

1790 g/Pair (UK 8)

SUITABLE FOR

Mountain hiking

The TIBET EVO LL is ideal for mountain hiking. This involves a tour in mountainous terrain.

Approaches

The approach boot TIBET EVO LL is perfect for the hike to the starting point of the actual via ferrata or climbing tour.

Multi-day hikes

A multi-day hike involves a tour with a backpack that lasts for more than 24 hours. The TIBET EVO LL is the perfect footwear for such hikes.

Pilgrim hiking

A pilgrim hike is a long-distance journey by foot that is motivated by spiritual needs. The TIBET EVO LL is a good travel companion on such tours.

Long-distance hiking

The TIBET EVO LL is perfect for long-distance hiking. It involves covering a great distance on foot over a period of several days.

Day hikes

The TIBET EVO LL is perfect for day hikes. These outings last for less than 24 hours and lead back to the starting point.

SOLE

VIBRAM APPTRAIL DIVO

The VIBRAM®-APPTRAIL-DIVO sole has a modern, self-cleaning profile. It proves its exceptional capabilities particularly when it is put to the test on challenging terrain. The sole's features are complemented on every terrain by the distinctive heel front that excels during descents.



MIDSOLE

ca. 100 %

Polyurethane (PU)

Polyurethane (PU) is a soft plastic that has very good cushioning properties and is usually used in the midsole as a result. Through the use of PU, the soles become lightweight and functionally flexible.

INSOLE

ca. 50 %

Viscoelastic latex foam

Viscoelastic latex foam is made of a remarkable polymer that lends a special form memory to the foam. Once body heat or pressure is applied to the viscoelastic foam, the foam adapts exactly to these particular contours. This feature equally distributes pressure and eases stress on the feet.

ca. 40 %

Polyester

Polyester is synthetic plastic fibre made from crude oil. In chemical terms, it is a polymer that can be processed into many different materials. Thanks to its chemical flexibility, polyester is lightweight, dries quickly, does not shrink and has the highest levels of tear and abrasion resistance.

ca. 10 %

Mesh

Mesh is a material that consists of many evenly spaced holes. It is usually made of polyester or nylon and basically a lattice-like material that is created by interwoven threads. Thanks to its special design, the man-made fibre is particularly permeable to air, has special moisture-regulating qualities and is easy to care for, breathable and crease-resistant.

LINING MATERIAL



The leather inner-lining creates cosy wearing comfort and a pleasant shoe climate.

FUNCTIONS



Avoidance of unnecessary stitches to reduce pressure points.



Roller eyelets make for easy lacing.



As a result of its construction, the footwear exhibits a strong resistance to bending.

UPPER MATERIAL

ca. 100 %

Nubuck leather

Nubuck leather is a full-grain leather that is slightly sanded, a process that lends a velvety look to the leather. Nubuck leather is especially durable, robust and open-pored. Depending on the desired look, the suede can be left untreated during the manufacturing process or oiled or waxed.



PPE REGULATION

Please note that if it is intended to use the purchased products as personal protective equipment in accordance with Art. 3 No. 1 of Regulation (EU) 2016/425 (PPE Regulation), the user is responsible for checking the products for the presence of a corresponding certification (see technical data of the product). If the product lacks a certification required for use as personal protective equipment as defined by the PPE Regulation, the product may not be used as personal protective equipment or only for non-professional purposes.
