



NABUCCO GTX

WHEN WANDERLUST REFUSES TO GO INTO HIBERNATION ...

You need the right footwear if you are planning to take a winter tour through snow-covered countrysides. The NABUCCO GTX model is the perfect choice for such adventures. Thanks to its special sole called VIBRAM ARCTIC GRIP TRAC®, this stylish winter shoe will provide you with exceptional grip while also turning heads in your winter wonderland. With them on your feet, there is nothing standing in the way of your next adventure in nature.



1 Footwear equipped with a GORE-TEX membrane is reliably waterproof, windproof and breathable.



2 A Vibram sole with a newly developed polymer mixture that produces good grip on snowy surfaces.



3 A special frame design known as LOWA MONOWRAP® provides stability.



4 LOWA DynaPU® provides noticeable cushioning with every step.

COLOURS



Steel blue/beige
410559 9695



Anthracite/grey
410559 9730

WEIGHT

1120 g/Pair (UK 8)

SUITABLE FOR

Winter hikes

A winter hike is a one-day tour done in icy or snowy conditions. The NABUCCO GTX is just right for such hikes.

SOLE

VIBRAM ARCTIC GRIP TRAC® II

The large profile studs, their arrangement and a Vibram rubber compound are the key reasons why the VIBRAM ARCTIC GRIP TRAC® II performs so well in winter conditions. It has everything it needs. Models with this sole come with a directly injected midsole made of LOWA DynaPU®.



MIDSOLE

ca. 100 % Polyurethane (PU)

Polyurethane (PU) is a soft plastic that has very good cushioning properties and is usually used in the midsole as a result.

Through the use of PU, the soles become lightweight and functionally flexible.

INSOLE

ca. 35 % Non-woven fabric

Non-woven fabric is a collection of fibre of limited length, filaments or cut yarns. Used as a component/covering of feet beds, the layer of non-woven fabric absorbs the heat generated by the foot, creating a pleasant feeling of comfort even in cold weather.

ca. 50 % Polyethylene

Polyethylene is a semi-crystalline and non-polar thermoplastic resin that is, by far, the most widely used plastic in the world. Polyethylene is used in part as a component of man-made fibre/blended fabrics. It is used primarily to create comfort and insulate the foot from below.

ca. 5 % Aluminium foil

Aluminium foil is the name used to describe a thin foil that is produced in a rolling process using the raw material of aluminium. Air-tight aluminium foil is primarily used in insoles as a layer of insulation that fights off cold from below and retains heat in the shoe.

ca. 10 % Perforated polyethylene

The structure of our perforated polyethylene promotes increased air circulation.

FUNCTIONS



The single-injection midsole is directly injected onto the footwear.



The shoe is moderately stiff.

UPPER MATERIAL

ca. 85 %

Suede leather

Suede leather comes from the flesh side of the hide. It has a looser fibre structure, a quality that creates a velvety surface and a light pile. Suede leather is particularly durable and open-pored. Depending on the desired look, suede leather can remain untreated or be oiled or waxed.

ca. 15 %

Fabric

Our natural and synthetic fabrics facilitate optimal warming and moisture management with the help of their usage-specific characteristics. Thanks to their structural design, they are smooth and make our products extremely comfortable.

PPE REGULATION

Please note that if it is intended to use the purchased products as personal protective equipment in accordance with Art. 3 No. 1 of Regulation (EU) 2016/425 (PPE Regulation), the user is responsible for checking the products for the presence of a corresponding certification (see technical data of the product). If the product lacks a certification required for use as personal protective equipment as defined by the PPE Regulation, the product may not be used as personal protective equipment or only for non-professional purposes.
